US00D661296S

# (12) United States Design Patent

Akana et al.

(10) Patent No.: US D661,296 S
(45) Date of Patent: ** *Jun. 5, 2012

(54) **ELECTRONIC DEVICE**

(75) Inventors: **Jody Akana**, San Francisco, CA (US); **Bartley K. Andre**, Menlo Park, CA (US); **Jeremy Bataillou**, San Francisco, CA (US); **Daniel J. Coster**, San Francisco, CA (US); **Daniele De Iuliis**, San Francisco, CA (US); **Evans Hankey**, San Francisco, CA (US); **Richard P. Howarth**, San Francisco, CA (US); **Jonathan P. Ive**, San Francisco, CA (US); **Duncan Robert Kerr**, San Francisco, CA (US); **Shin Nishibori**, Portola Valley, CA (US); **Matthew Dean Rohrbach**, San Francisco, CA (US); **Peter Russell-Clarke**, San Francisco, CA (US); **Christopher J. Stringer**, Woodside, CA (US); **Eugene Antony Whang**, San Francisco, CA (US); **Rico Zorkendorfer**, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

( * ) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/396,613**

(22) Filed: **Jul. 1, 2011**

**Related U.S. Application Data**

(63) Continuation of application No. 29/377,272, filed on Oct. 19, 2010, now Pat. No. Des. 642,172.

(51) **LOC (9) Cl.** ..... **14-02**
(52) **U.S. Cl.** ..... **D14/315**
(58) **Field of Classification Search** ..... D14/315–327; D18/1, 2, 7, 11; 235/145 A, 145 R; 341/22, 341/23; 345/104, 156, 168, 169, 173; 361/679.08, 361/679.09, 679.11, 679.26, 679.27
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D425,874 S 5/2000 Tanimura
(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/375,023, filed Sep. 16, 2010, entitled "Electronic Device".

(Continued)

*Primary Examiner* — Freda S Nunn
(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

**DESCRIPTION**

FIG. **1** is a top, front perspective view of an electronic device showing our new design;
FIG. **2** is a bottom, rear perspective view thereof;
FIG. **3** is a front view thereof;
FIG. **4** is rear view thereof;
FIG. **5** is a left side view thereof;
FIG. **6** is a right side view thereof;
FIG. **7** is a top view thereof;
FIG. **8** is a bottom view thereof;
FIG. **9** is a top, front perspective view of a second embodiment thereof;
FIG. **10** is a bottom, rear perspective view thereof;
FIG. **11** is a front view thereof;
FIG. **12** is rear view thereof;
FIG. **13** is a left side view thereof; FIG. **14** is a right side view thereof;
FIG. **15** is a top view thereof; and,
FIG. **16** is a bottom view thereof.

The gray shading on the electronic device represents a metallic-looking surface.

The relatively light gray shade lines on the surface portions indicate contour and not surface decoration.

The broken lines are for the purpose of illustrating portions of the electronic device and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



U.S. PATENT DOCUMENTS

| | | | | | |
|---|---|---|---|---|---|
| D431,821 | S | | 10/2000 | Mizuno | |
| D463,797 | S | | 10/2002 | Andre et al. | |
| 6,657,854 | B2 | | 12/2003 | Horii et al. | |
| 6,744,623 | B2 | | 6/2004 | Numano et al. | |
| D501,472 | S | | 2/2005 | Kumano | |
| D501,660 | S | | 2/2005 | Kumano | |
| 7,035,665 | B2 | | 4/2006 | Kido et al. | |
| D558,753 | S | | 1/2008 | Andre et al. | |
| D574,378 | S | | 8/2008 | Andre et al. | |
| D600,688 | S | | 9/2009 | Andre et al. | |
| D603,861 | S | * | 11/2009 | Hong et al. | D14/315 |
| D604,289 | S | | 11/2009 | Andre et al. | |
| D604,290 | S | | 11/2009 | Andre et al. | |
| D604,292 | S | | 11/2009 | Andre et al. | |
| D604,293 | S | | 11/2009 | Andre et al. | |
| D604,294 | S | | 11/2009 | Andre et al. | |
| D606,068 | S | * | 12/2009 | Hong et al. | D14/315 |
| D606,534 | S | * | 12/2009 | Hong et al. | D14/315 |
| D606,988 | S | | 12/2009 | Andre et al. | |
| D606,989 | S | | 12/2009 | Andre et al. | |
| D607,450 | S | | 1/2010 | Morishita et al. | |
| D611,043 | S | | 3/2010 | Andre et al. | |
| D611,045 | S | | 3/2010 | Andre et al. | |
| D611,469 | S | | 3/2010 | Andre et al. | |
| D613,284 | S | | 4/2010 | Solomon et al. | |
| D616,880 | S | | 6/2010 | Andre et al. | |
| D616,881 | S | | 6/2010 | Andre et al. | |
| D621,825 | S | | 8/2010 | Andre et al. | |
| D622,268 | S | * | 8/2010 | Hong et al. | D14/315 |
| D623,645 | S | | 9/2010 | Andre et al. | |
| D625,717 | S | | 10/2010 | Andre et al. | |
| D642,172 | S | * | 7/2011 | Akana et al. | D14/318 |
| 2005/0018396 | A1 | * | 1/2005 | Nakajima et al. | 361/683 |
| 2005/0041378 | A1 | * | 2/2005 | Hamada et al. | 361/680 |

OTHER PUBLICATIONS

U.S. Appl. No. 29/377,271, filed Oct. 19, 2010, entitled "Electronic Device".

Sony Vaio X505, available at least as early as May 8, 2005.

Olidata Altro, available at least as early as Jun. 1, 2009.

* cited by examiner



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8



Fig. 9



Fig. 10



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16